

and a

A 2 Post

Explore our latest collection

Discover your freedom

ALL RAND





New Paths.

Through innovation, technology, and design, we enhance quality of life and mobility for everyone.

We Are Pride Mobility.




If you would like to view **more** specifications and documentation of our products, **download** our PQ-365 APP **now!**

Your dealership's fast track to efficiency.









Contents.

Travel Scooters

- Go Go Ultra X 06
- Go Go MG 2 07
- NEW Go Go Super Portable 08 NEW Go Go Carbon 09
- NEW Go Go Elite Traveller 2 10
 - Go Go LX with CTS 11
 - Go Go Endurance Li 12
 - Revo 2.0 13

Mid & Full Size Scooters

- Colt Plus 16
- Colt Sport 17
- Victory Luna 18
- Victory XL 130 19
 - Pursuit 2 20
- Victory XL 140 21
- Victory XL 140S 22
 - Atmos 23


Baja Mobility


- Baja Bandit 26
- Baja Wrangler 2 27

Power Chairs

- Go Chair 30
- Jazzy EVO 613 Li 31
 - Jazzy Air 2 34
- NEW Jazzy Carbon Ultra Lite 35
 - Accessoires 34
 - Specifications 36
- Service and Support 39

Exlpore Our New Products.













Irave

Compact, Lightweight and designed for effortless mobility.

Scooters



Pride

6



The Addordable Option.

Specifications

	Weight capacity	118 kg
	Speed	Up to 6,4 km/h
	Range per charge	Up to 11,5 km
	Length x Width	1003 x 495 mm
	Tires	7" solid front, 8" solid rear
	Weight without batteries	36,3 kg
J	Batteries	Type: Two 12-volt, deep- cycle Size: 12 Ah
	More?	Download the specifications sheet on our website or the PQ-365 APP!

Go Go Ultra X

The affordable option with premium features

The Go Go Ultra X In addition to these features, the Go Go Ultra X also offers the performance you would expect from the number 1 in travel mobility.

This makes it the ultimate travel scooter, ready for all your adventures!





PRIDE



One Of The Lightest.

Specifications

Weight capacity	125 kg
Speed	Up to 6 km/h
Range per charge	Up to 20 km
Length x Width	1041 x 429 mm
Tires	8" pneumatic, front and rear
Weight without batteries	14,8 kg
Batteries	Type: Lithium ion Size: 10 Ah or 20 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

MDR Class I (2017/745/EU) Medical Device

O B

PRIDE

Go Go MG 2

The Go Go MG 2 is one of the lightest mobility scooters in the world.

With its advanced magnesium frame, the Go Go MG 2 redefines what is possible in electric mobility. This unique frame not only provides exceptional stability, but also contributes significantly to minimizing overall weight. The result is an unprecedented combination of effortless maneuverability and maximum efficiency in the electric drive.

The Go Go MG 2 with magnesium frame embodies a perfect fusion of contemporary design, functionality and sustainable mobility, creating a limitless driving experience.





SUPER PORTABLE

PRIDE



Experience Charge360 Now.

Specifications

Weight capacity	136 kg
Speed	Up to 7,2 km/h
Range per charge	Up to 16,3 km
Length x Width	945 x 547 mm
Tires	7" solid front, 8" solid rear
Weight without batteries	18,9 kg
Batteries	Type: Lithium-ion Size: 12 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

Go Go Super Portable

Lightweight, Compact, and Built for Travel

The Go Go Super Portable offers effortless mobility with a quick-fold design and a reliable lithium battery. Paired with Charge360, our innovative charging solution, you get faster, smarter, and more efficient charging so you're always ready to move.

Designed for convenience, this scooter is easy to transport and store, making it the perfect companion for daily outings or international adventures.





MDR Class I (2017/745/EU) Medical Device



NEW





Smart Access With NFC Technology.

Specifications

136 kg
Up to 6 km/h
Up to 16,1 km
1024 x 445 mm
7″ solid front, 8″ solid rear
15,9 kg
Type: Lithium-ion Size: 12 Ah
Download the specifications sheet on our website or the PQ-365 APP!

Go Go Carbon

It's All in the Name

Harnessing the power of its full carbon fiber frame, the Go Go Carbon offers exceptional portability in a four-wheel scooter. Weighing just under 16 kg without its lithium battery, it folds down in seconds for convenient transport and storage, and can be towed like luggage through airports and other environments.

With the Go Go Carbon, the name says it all. This scooter harnesses the true power of carbon fiber, with its frame composed entirely of the material, making it ultra-light, strong, and perfect for on-the-go mobility.



MDR Class I (2017/745/EU) Medical Device





ELITE TRAVELLER® 2



Ride With Ease, Every Day.

Specifications

Weight capacity	136 kg
Speed	Up to 6,8 km/h
Range per charge	Up to 22,1 km
Length x Width	3W: 929 - 961 x 494 mm 4W: 1000 - 1036 x 494 mm
Tires	3W: 8″ solid front and rear 4W: 7″ solid front, 8″ solid rear
Weight without batteries	3W: 35,3 kg 4W: 37,7 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 18 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

PRIDE

MDR Class I (2017/745/EU) Medical Device

Go Go Elite Traveller 2

Effortless Mobility, Your Perfect Travel Companion!

Introducing the Go Go Elite Traveller 2, the FIRST 4-wheel scooter with Pride's patented EZ Turn technology, offering 3-wheel turning ability while maintaining classic 4-wheel stability.

This stable travel scooter is designed to keep up with your active lifestyle. Its easy disassembly, convenient storage, and impressive 136 kg weight capacity make it the ultimate travel companion.

Available Colors



and a week of the second

LX WITH CTS SUSPENSION

Pride

GO GO



Go Further. Ride Smoother.

Specifications

	Weight capacity	136 kg
	Speed	Up to 7 km/h
	Range per charge	Up to 17 km
	Length x Width	1060 x 521 mm
5555	Tires	7″ solid front, 8″ solid back
Ĵ	Weight without batteries	41 kg
	Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 12 Ah or 18 Ah
	More?	Download the specifications sheet on our website or the PQ-365 APP!

MDR Class I (2017/745/EU) Medical Device

Go Go LX with CTS

A high-quality product with useful features, discover CTS suspension.

The Go Go LX with CTS suspension is a high-quality product with useful features, such as a delta handlebar, a high-placed charging connection, an LED headlight and a spacious basket at the front.

All these elements come together in a whole that can easily be taken anywhere. The CTS suspension ensures that each wheel is individually sprung, resulting in a pleasant and comfortable driving experience.







Travel Light. Ride Far.



Specifications

Weight capacity	147 kg
Speed	Up to 6,7 km/h
Range per charge	Up to 21,3 km
Length x Width	1070 x 521 - 690 mm
Tires	8" solid, front and rear
Weight without batteries	41 kg
Batteries	Type: Lithium ion Size: 8 Ah or 16 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

MDR Class I (2017/745/EU) Medical Device

Go Go Endurance Li

Traveling has never been easier!

With the Go Go Endurance Li, traveling becomes an effortless experience! This model offers everything you need for a safe and worry-free trip. Thanks to the standard 8 Ah lithium battery pack, which is permitted on an airplane*, the Go Go Endurance is ideal for long distances.

It is easy to disassemble, transport and store. Once you arrive at your destination, you can enjoy a smooth and comfortable ride thanks to the exclusive Comfort-Trac suspension this model is equipped with.

* Transport of this item on commercial aircraft is subject to regulations and airline policy. Please consult your airline prior to your flight to ensure your Go Go Endurance scooter and its lithium-ion battery are permitted.





Pride



Go Anywhere With Confidence.

Specifications

181 kg
Up to 8,4 km/h
Up to 26,1 km
1194 x 525 mm
9" pneumatic front and rear
59,8 kg
Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 35 Ah
Download the specifications sheet on our website or the PQ-365 APP!



MDR Class I (2017/745/EU) Medical Device

Revo 2.0

A sturdy model with easy disassembly

Discover the Revo 2.0, a solid mobility scooter that offers a combination of features in one impressive package. The Revo 2.0 is built sturdy and durable, and offers the reliability you expect from luxury mid-size scooters.

Comfort Trac Suspension (CTS) provides a smooth and comfortable ride, even on varied terrain. Experience the convenience of easy disassembly for portability similar to our Travel Mobility line.

Do you dare to take on the adventure?



Mid & Full

Comfortable, and built for ultimate support and long distance travel.

Size Scooters



 $\langle \bullet \rangle$



Colt >>>>



Everyday Performance. Unbeatable Value.

Specifications

159 kg
Up to 10 km/h
Up to 25 km
1194 x 560 mm
10" pneumatic, front and rear
64,5 kg
Type: Two 12-volt, sealed lead-acid, non-spillable, deep-cycle Size: 32 Ah or 40 Ah
Download the specifications sheet on our website or the PQ-365 APP!

PRIDE

MDR Class I (2017/745/EU) Medical Device

Colt Plus

The Colt Plus offers exceptional features at an affordable price

Due to popular demand for a cost-effective mid-range 6,4 km/h scooter, Pride Mobility Product Ltd are proud to re-launch the Colt Plus

With a half back seat and pneumatic alloy style tires, the Colt Plus still offers some exceptional features at an affordable price.





Colt ~



Performance You Can Feel.

Specifications

AND IN THE REPORT OF A DATA OF	
Weight capacity	159 kg
Speed	Up to 12,9 km/h
Range per charge	Up to 26,8 km
Length x Width	1194 x 657 mm
Tires	10" solid, front and rear
Weight without batteries	68 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable, deep-cycle Size: 40 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

Colt Sport

Sporty style with advanced comfort

The all-new Colt Sport combines sporty style with advanced features, including a DX Tiller, LED headlights and an advanced suspension seatpost, along with an all-new adjustable memory foam seat.

Experience speeds of up to 12,9 km/h and discover what life has in store for you!

Available Colors



M





Luxury Rides, Unmatched Range.

Specifications

1.15	and the second	
	Weight capacity	159 kg
	Speed	Up to 15 km/h
~	Range per charge	Up to 41 km
	Length x Width	1397 x 699 mm
	Tires	13" pneumatic, front and rear
	Weight without batteries	87,5 kg
	Batteries	Type: Two 12-volt, deep- cycle Size: 55 Ah or 75 Ah
	More?	Download the specifications sheet on our website or the PQ-365 APP!



MDR Class I (2017/745/EU) Medical Device

Victory Luna

Outstanding outdoor performance with luxurious features

The Victory Luna 3-Wheel mobility scooter delivers powerful performance both indoors and outdoors.

The combination of luxury, comfort and convenience, such as a foam-wrapped delta handlebar and non-marking tires, makes the Victory Luna a complete experience.

Available Colors

Red







Built To Perform. Styled To Impress.

Specifications

Weight capacity	158,8 kg
Speed	Up to 15 km/h
Range per charge	Up to 37,9 km
Length x Width	1355 x 635 mm
Tires	13" pneumatic, front and rear
Weight without batteries	96 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 55 Ah or 75 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

Victory XL 130

Excellent performance in the outdoors and equipped with every comfort

The Victory XL 130 stands out because of its powerful drive and 13-inch wheels, which can effortlessly tackle uneven surfaces.

Luxury details, such as a continuous delta handlebar and bright LED lighting, give the Victory XL 130 a streamlined and sporty design.

Available Colors



MDR Class I (2017/745/EU) Medical Device

M

OB

PURSUIT²



56 Km Of Pure Freedom.

Specifications

Weight capacity	159 kg
Speed	Up to 15 km/h
Range per charge	Up to 56 km
Length x Width	1460 x 753 mm
Tires	13″ pneumatic, front and rear
Weight without batteries	100 kg
Batteries	Type: Two 25-volt lithium ion Size: 50 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

Pursuit 2

Where will the Pursuit 2 lead you?

Developed for excitement, the Pursuit 2 is designed to cover significant distances without shying away from an off-road detour or a long-distance excursion.

With a top speed of 15 km/h and the ability to reach 56 km on a single charge, this agile unit offers fast, efficient transport and reliable endurance.

PRIDE

MDR Class I (2017/745/EU) Medical Device

Available Colors



PURSUIT





Conquer Any Terrain With Confidence.

Specifications

Weight capacity	181 kg
Speed	Up to 15 km/h
Range per charge	Up to 36 km
Length x Width	1422 x 692 mm
Tires	13" pneumatic, front and rear
Weight without batteries	123 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable, deep-cycle Size: 55 Ah or 75 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

PRIDE

MDR Class I (2017/745/EU) Medical Device

Victory XL 140

The perfect combination of power and precision

The Victory XL 140 is the ideal combination of power and precision, packed with highquality features such as full suspension, flat profile tires and a hydraulic braking system.

With its shiny, aggressive style and numerous standard luxury features, such as a full-length delta handlebar and LED lighting, the Victory XL 140 is the ultimate choice for outdoor use.







Power Meets Precision At 20 Km/h.

Specifications

181 kg					
Up to 20 km/h					
Up to 36 km					
1422 x 692 mm					
13" pneumatic, front and rear					
123 kg					
Type: Two 12-volt, sealed lead-acid, non-spillable, deep- cycle Size: 55 Ah or 75 Ah					
Download the specifications sheet on our website or the PQ-365 APP!					

PRIDE

MDR Class I (2017/745/EU) Medical Device

Victory XL 140S

High speed and luxurious amenities

The Victory XL 140S is one of our most impressive mobility scooter models. With an impressive top speed of 20 km/h and a wide range of 36 km, the Victory XL 140S is ideal for demanding users.

The model is equipped with an adjustable steering column and seat, resulting in generous seating comfort and optimal driving control. Thanks to its versatility, this mobility scooter is particularly suitable for experienced drivers!

Experience the perfect combination of speed and comfort with the Victory XL 140S.



ATMOS

220

PRIDE







Smooth Rides. Strong Performance.

Specifications

Weight capacity	159 kg
Speed	Up to 15 km/h
Range per charge	Up to 37,7 km
Length x Width	1420 x 687 - 707 mm
Tires	13" pneumatic, front and rear
Weight without batteries	115 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep- cycle Size: 75 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!
XA	Contraction of the second seco

RIDE

ADR Class I (2017/745/EU) Medical Device

Atmos

The Atmos mobility scooter!

Discover the ultimate combination of comfort, performance and style with the Atmos. This mobility scooter is equipped with premium suspension, resulting in a smooth and stable ride on various terrains.

The bright lighting system improves visibility and ensures safety, both day and night. With a carrying capacity of 228,8 kg, the Atmos can handle anything while maintaining its impressive performance.

Experience the freedom of cruising at speeds of up to 15 km/h, allowing you to cover greater distances effortlessly.

Available Colors

Blue

Built for adventure and off-road freedom.

BAUA BANDI

Baja

Mobility



BAJA MOBILITY

BAJA[®] BANDIT

SAVA BANON

26



Full Suspension, Zero Limits.

Specifications

Weight capacity	181 kg
Speed	Up to 12,9 km/h
Range per charge	Up to 46,7 km
Length x Width	1260 x 707 mm
Tires	9,4" solid, front and rear
Weight without batteries	72,3 kg
Batteries	Type: Lithium ion Size: 20 Ah or 40 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

Baja Bandit

Unleash the Adventure, Feel the Thrill

The Baja Bandit is here to push the limits. It's rugged. It's fast. It's uncompromising as a conduit for outdoor adventure. Exactly how Baja Mobility is defined.

Kick it into high gear and let the Bandit do all the dirty work while you cruise in comfort. You've got full suspension right on the seat post to absorb all the shocks.

So don't be afraid to rough it up a little when things get bumpy.







Your Guide To Off-Road Freedom.

Specifications

Weight capacity	204 kg
Speed	Up to 15 km/h
Range per charge	Up to 26,5 km
Length x Width	1556x 837 mm
Tires	14,5" pneumatic, front and rear
Weight without batteries	124,3 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 75 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!
More?	sheet on our website or the

Baja Wrangler 2

The Baja Wrangler 2 opens the door to adventure!

The Baja Wrangler 2, the pioneer model in Pride's new Baja Mobility outdoor range, brings unprecedented capabilities to the outdoor personal mobility vehicle category. Designed for ease of use, durability and the challenges of your greatest adventures.

The Baja Wrangler 2 is the reliable guide to off-road mobility. This mobility scooter will be ready for action when you want it. A combination of strength and agility. Prepare for limitless mobility and discover the world with the Baja Wrangler 2.









Power

Compact, Lightweight and designed for effortless mobility.

Chairs





FEHAR

Pride

GCICHRIP

-0 PA



Portability Meets Practicality.

Specifications

Weight capacity	136 kg
Speed	Up to 6 km/h
Range per charge	Up to 21,3 km
Length x Width	725 - 842 x 575 mm
Drive wheels	9″ solid
Caster wheels	6″ solid
Weight without batteries	44,3 kg
Batteries	Type: Two 12 volt, sealed lead-acid, non-spillable deep-cycle Size: 18 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!



Go Chair

Small, light and portable

When it comes to electric wheelchairs, we changed up the game with the Go Chair.

To start, we included standard comfort features such as providing two seat width options (508 or 457 mm width) with swingout storage compartments below it.

There's also an accessory mount on the back, so you can add a cane holder or oxygen holder that you might need for your next journey.





PRIDE



Navigate Narrow Spaces Like A Pro.

Specifications

Weight capacity	136 kg
Speed	Up to 8,2 km/h
Range per charge	Up to 33,8 km
Length x Width	889 - 1041 x 559 mm
Drive wheels	13″ solid
Caster wheels	5″ solid
Weight without batteries	64,5 kg
Batteries	Type: Lithium ion
More?	Download the specifications sheet on our website or the PQ-365 APP!

Jazzy EVO 613 Li

Breaking barriers with the Jazzy EVO 613 Li

The Jazzy EVO 613 Li impress with a 560 mm width at the base and a tight 560 mm turning radius. It stands out not just as one of the most powerful power wheelchairs on the market but also as one of the narrowest and most maneuverable.

Experience the pinnacle of Pride's offerings with the Jazzy EVO 613 Li, featuring patented Active-Trac Suspension and exclusive Mid-Wheel 6 Technology for a smoother, stable ride.

Available Colors



DR Class I (2017/745/EU) Medical Devic

PRID





Pride

Elevate Your Perspective.

Specifications

Weight capacity	136 kg
Speed	Up to 6,4 km/h
Range per charge	Up to 26,7 km
Length x Width	1067 x 590 mm
Drive wheels	10″ solid
Caster wheels	6" solid
Weight without batteries	91,5 kg
Batteries	Type: Two 12-volt, sealed lead-acid, non-spillable deep-cycle Size: 35 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!



MDR Class I (2017/745/EU) Medical Device

Jazzy Air 2

Experience living your life at new heights

First impressions happen only once, and the engineers at Pride Mobility considered all the ones you make when they designed the Jazzy Air 2.

Featuring a captain's chair seat that elevates up to 305 mm, lifting you eye to eye during a conversation. Accelerate your power chair safely, up to 6,4 km/h, in the elevated position, so you can move about your day shoulder to shoulder with your peers.





PRIDE

Ultra-Lite



The Power Chair That Feels Invisible.

Specifications

Weight capacity	125 kg
Speed	Up to 6,4 km/h
Range per charge	Up to 20 km
Length x Width	1000 x 620 mm
Drive wheels	12″ solid
Caster wheels	8" solid
Weight without batteries	14,5 kg
Batteries	Type: Lithium-ion Size: 10 Ah
More?	Download the specifications sheet on our website or the PQ-365 APP!

PRIDĘ

MDR Class I (2017/745/EU) Medical Device

Jazzy Carbon Ultra Lite

Freedom in Every Move

Meet the Jazzy Carbon Ultra Lite. Our lightest power chair ever. Weighing just 14,5 kg and built from strong, durable carbon fiber, it delivers a sleek design with outstanding functionality.

Whether you're at home, in your favorite café, or out exploring, this ultra-light wheelchair makes every move feel effortless.

Available Colors



33









Under Seat Storage



Mobile Phone Holder



Rearview Mirror



Rear Basket



Oxygen Bottle Holder



Walker Holder



<image>





*Not all accessories are available for all products. Please speak with your Dealer for details and availability.

Specifications.

Travel Scooters.

MODEL NAME	Go Ultr		Go Go MG 2	Go Go Super Portable	Go Go Carbon	Go Go Elite Traveller 2	Go Go Elite Go Go LX with Traveller 2 CTS		Go Go Endurance Li	Endurance Revo 2.0 Li		
	3 wheels	4 wheels	4 wheels	4 wheels	4 wheels	3 wheels 4 wheels	4 wheels 3 wheels 4 wheels		4 wheels	3 wheels 4 wheels		
WEIGHT CAPACITY	118	kg	125 kg	136 kg	136 kg	136 kg	136 kg		147 kg	18′	l kg	
MAXIMUM SPEED	6,4 k	m/h	6 km/h	7,2 km/h	6 km/h	6,8 km/h	7 km/h		6,7 km/h	8,4	8,4 km/h	
GROUND CLEARANCE	32 r	nm	х	47 mm	38 mm	32 mm 34 mm	36 n	nm	36 mm	32 mm		
TURNING RADIUS	838 mm	1120 mm	х	1311 mm	1350 mm	790 mm 940 mm	851 mm	1162 mm	1225 mm	1016 mm	1323 mm	
OVERALL LENGTH/ WIDTH	940 x 495 mm	1003 x 495 mm	1041 x 429 mm	945 x 547 mm	1024 x 445 mm	939 - 961 x 494 mm	1010 x 521 mm	1060 x 521 mm	1070 x (521 - 690) mm	1167 x 525 mm	1194 x 525 mm	
SEAT-TO- DECK HEIGHT	401 - 43	38 mm	х	422 mm	х	418 - 453 mm	413 - 45	51 mm	413 - 450 mm	419 - 4	158 mm	
FRONT TIRES	8" solid	7″ solid	8" pneumatic	7″ solid	7″ solid	8″ solid 7″ solid	8" solid	7″ solid	8″ solid		9″ solid or pneumatic	
REAR TIRES	8″ s	olid	8″ pneumatic	8″ solid	8″ solid	8″ Solid	8″ solid		8″ solid		9" solid or pneumatic	
SUSPENSION	N	o	No	No	No	No		Comfort-Trac Dension (CTS)			nfort-Trac ion (CTS)	
RANGE PER CHARGE	Up to 17,5 km	Up to 18,5 km	Up to 20 km	Up to 16,3 km	Up to 16,1 km	Up to Up to Up to 18,3 km 22,1 km 18,9 kr		Up to 20,3 km	Up to 21,3 km	Up to 28 km	Up to 28,6 km	
HEAVIEST PIECE	13,5 kg	15 kg	14,8 kg	18,9 kg	15,9 kg	13,6 kg 15,9 kg	15 kg	17,8 kg	17,8 kg	21,8 kg	25,8 kg	
STANDARD SEATING	SETASM	/B5827	х	х	х	x	SETASM	IB5827	SET151005 SET170		07651	
BATTERIES	Quant Type: S lead-acio cyc Size: 1	Sealed d, deep cle	Quantity: 1 Type: Lithium ion Size: 10 or 20 Ah	Quantity: 1 Type: Lithium ion Size: 12 Ah	Quantity: 1 Type: Lithium ion Size: 12 Ah	Quantity: 2 Type: Sealed lead-acid, deep cycle Size: 18 Ah	Quantity: 2 Type: Sealed lead-acid, deep cycle Size: 12 or 18 Ah		Quantity: 1 Type: Lithium Size: 8 or 16 Ah	Quantity: 2 Type: Sealed lead- acid, deep cycle Size: 35 Ah		
BATTERY WEIGHT (EACH)	4,4	kg	х	3,6 kg	х	6,7 kg	12 Ah: 18 Ah:		8 Ah 3,5 kg 16 Ah 5,5 kg	11,3 kg		
BATTERY CHARGER	2 Amp o	ff-board	2 Amp off- board	2 Amp off- board	2 Amp off-board	3.5 Amp off- board	2 Amp of	f-board	3.5 Amp off-board	3.5 Amp off-board		

Specifications.

Mid & Full Size Scooters.

MODEL NAME	Colt Plus	Colt Sport	Victory Luna	Victory XL 130	Pursuit 2	Victory XL 140	Victory XL 140S	Atmos	Baja Bandit	Baja Wrangler 2	Pursuit 2
	4 wheels	4 wheels	3 wheels	4 wheels	4 wheels	4 wheels	4 wheels	4 wheels	4 wheels	4 wheels	4 wheels
WEIGHT CAPACITY	159 kg	159 kg	159 kg	159 kg	159 kg	181 kg	181 kg	159 kg	181 kg	204 kg	159 kg
MAXIMUM SPEED	10 km/h	12,9 km/h	15 km/h	15 km/h	15 km/h	15 km/h	20 km/h	15 km/h	12,9 km/h	15 km/h	15 km/h
GROUND CLEARANCE	57 mm	57 mm	95 mm	94 mm	96 mm	64 mm	64 mm	88 mm	40 mm	140 mm	96 mm
TURNING RADIUS	1370 mm	1334 mm	1257 mm	1606 mm	1760 mm	1803 mm	1803 mm	2090 mm	1347 mm	2407 mm	1760 mm
OVERALL LENGTH/ WIDTH	1194 x 560 mm	1194 x 657 mm	1397 x 699 mm	1355 x 635 mm	1460 x 753 mm	1422 x 692 mm	1422 x 692 mm	1420 x 687 - 707 mm	1260 x 707 mm	1556 x 837 mm	1460 x 753 mm
SEAT-TO- DECK HEIGHT	х	х	х	411 - 450 mm	455 - 530 mm	457 - 495 mm	457 - 495 mm	420 - 467 mm	460 mm	x	455 - 530 mm
FRONT TIRES	10″ pneumatic	10″ solid	13" pneumatic	13″ pneumatic	13" pneumatic	13" pneumatic	13″ pneumatic	13" pneumatic	9,4″ solid	14,5" pneumatic	13" pneumatic
REAR TIRES	10" pneumatic	10" solid	13" pneumatic	13" pneumatic	13" pneumatic	13" pneumatic	13" pneumatic	13" pneumatic	9,4″ solid	14,5" pneumatic	13" pneumatic
SUSPENSION	Limited	Limited	Yes, front and rear	Yes, front and rear	Yes, front and rear	Yes, front and rear	Yes, front and rear	Yes, front and rear	Yes, front and rear	Yes, front and rear	Yes, front and rear
RANGE PER CHARGE	Up to 25 km	Up to 26,8 km	Up to 41 km	Up to 37,9 km	Up to 56 km	Up to 36 km	Up to 36 km	Up to 37,7 km	Up to 46,7 km	Up to 26,5 km	Up to 56 km
HEAVIEST PIECE	29,8 kg	29,5 kg	35,6 kg	х	х	х	х	91,3 kg	х	99,3 kg	х
STANDARD SEATING	SET145500	SET145500	SET1803304	SET147133	SET2200727	SET147133	SET147133	SET2007672	SET2002307	SET220024	SET2200727
BATTERIES	Quantity: 2 Type: Two 12-volt, sealed lead-acid, deep-cycle Size: 40 Ah	Quantity: 2 Type: Two 12-volt, sealed lead-acid, deep-cycle Size: 40 Ah	Quantity: 2 Type: Two 12-volt, deep- cycle Size: 55 or 75 Ah	Quantity: 2 Type: Sealed lead-acid, deep cycle Size: 55 or 75 Ah	Quantity: 2 Type: Two 24-volt lithium ion Size: 50 Ah	Quantity: 2 Type: Sealed lead-acid, deep cycle Size: 55 or 75 Ah	Quantity: 2 Type: Sealed lead-acid, deep cycle Size: 55 or 75 Ah	Quantity: 2 Type: Sealed lead-acid, deep cycle Size: 75 Ah	Quantity: 1 Type: Lithium ion Size: 20 or 40 Ah	Quantity: 2 Type: Sealed lead-acid, deep cycle Size: 75 Ah	Quantity: 2 Type: Two 24-volt lithium ion Size: 50 Ah
BATTERY WEIGHT (EACH)	40 Ah: 14,8 kg	40 Ah: 11 kg	55 Ah: 17,5 kg 75 Ah: 24,5 kg	55 Ah: 17 kg 75 Ah: 22,1 kg	50 Ah: 20,8 kg	55 Ah: 17 kg 75 Ah: 25 kg	55 Ah: 17 kg 75 Ah: 25 kg	75 Ah: 22,1 kg	6,6 kg each	75 Ah: 21,8 kg	50 Ah: 20,8 kg
BATTERY CHARGER	3.5 or 5 Amp off-board	3.5 or 5 Amp off-board	5 or 8 Amp off-board	8 Amp off-board	8 Amp off-board	8 Amp off-board	8 Amp off-board	8 Amp off-board	4 Amp off-board	8 Amp off-board	8 Amp off-board

Specifications.

Power Chairs.

MODEL NAME	Go Chair	Jazzy EVO 613 Li	Jazzy Air 2	Jazzy Carbon Ultra Lite
WEIGHT CAPACITY	136 kg	136 kg	136 kg	125 kg
MAXIMUM SPEED	6 km/h	8,2 km/h	6,4 km/h	6,4 km/h
TURNING RADIUS	648 mm	559 mm	616 mm	
OVERALL LENGTH/ WIDTH	725 x 575 mm	1041 x 559 mm	1067 x 590 mm	1000 x 620 mm
WHEELS	Drive: 9″ solid Caster: 6″ solid Anti-tip: 3″ solid	Drive: 13″ solid Caster: 5″ solid	Drive: 10″ flat free Caster: 6″ flat free	Drive: 12″ solid Caster: 8″ Solid
SUSPENSION	Yes, limited	Yes, Active-Trac	Yes, Active-Trac with Mid-Wheel 6 Technology	No
RANGE PER CHARGE	Up to 14 km	Up to 34 km	Up to 26,7 km	Up to 20 km
COMPONENT WEIGHTS	Front: 14 kg Rear: 16,5 kg Seat: 13,8 kg	Base: 91,5 kg	Base: 91,5 kg	Base: 14,5 kg
BATTERIES	Quantity: 2 Type: Sealed lead- acid, deep cycle Size: 18 Ah	Quantity: 1 Type: Lithium ion Size: 32.4 Ah	Quantity: 2 Type: Sealed lead- acid, deep cycle Size: 35 Ah	Quantity: 1 Type: Lithium ion Size: 10 Ah
BATTERY WEIGHT (EACH)	18 Ah: 13,5 kg	8,4 kg	35 Ah: 11,25 kg	х
BATTERY CHARGER	2 Amp off-board	3.5 Amp off-board	5 Amp off-board	2 Amp off-board
FOLDED SIZE	N/A	N/A	N/A	N/A

Serivce And Support.



SUPPORT

Do you have a question? Please do not hestitate to contact us! You can call us via +31 (0) 85 040 8630 or send us an email.

Order - order@prideeurope.nl

For anything order related, for instance status updates, lead times, returns or warranties; contact our colleagues at the Order department.

Finance - finance@prideeurope.nl

Our colleagues at the Finance department are there to answer all questions regarding financial enquiries.

Technical - info@prideeurope.nl

Contact our Technical support team for any technical enquiries. They can also answer questions regarding parts or part numbers.

Other - info@prideeurope.nl

Contact our Support team if you have a different question, they are happy to offer any assistance you might need.



+31 (0) 85 040 86 30 | info@prideeurope.nl | pridemobility.eu

Varies with user weight, terrain type, battery amp-hour (AH), battery charge, battery condition and tire condition. These specifications can be subject to a variance of (+/- 10%).
Due to manufacturing tolerances and continual product improvement, this specification can be subject to a variance of + or - 3%
AGM or gel cell type required.
Tested in accordance with ANSI/RESNA, WC Vol 2, Section 4 & ISO 7176-4 standards. Results derived from theoretical calculation based on battery specifications and drive system performance. Test conducted at maximum weight capacity.
AGM, Gel-Cell, or Hybrid Gel (Hybrid Gel is defined as Nano Silica Gel Electrolyte with High Quality Glass Mat Separators) type required.
Battery weight may vary based on manufacturer.

NOTE: All specifications subject to change without notice. The information contained herein is correct at the time of publication; we reserve the right to alter specifications without prior notice. Speed and range vary with user weight, terrain type, battery charge, battery condition and tire pressure. Due to manufacturing tolerances and continual product improvement, length, width, turning radius and ground clearance can be subject to variance of + or -3 %. Dimensions listed are for scooter only. Overall measurements will vary based on seating and accessory selections.

EU PBP0001/RevG/22APR2025

CE